




PVC and Aluminium Monoblock
Roller Shutter Systems



2020 Box


The **2020** box, which carries the basic features of the entire product family, offers **ideal performance** with balloon gaskets at the joints instead of foam in cases where high thermal or acoustic insulation is not required, and can be **easily intervened** with its back opening profile feature.



Thermal Transmittance
Value W/m^2K - **2,6**

Slat Capacity Table

Slat	Piece	Height + Box (m)
39 N	78	3,0 + Box
39 NP	81	3,1 + Box
43	68	2,9 + Box
55 N	41	2,2 + Box
55 NP	44	2,4 + Box



Modularity



Compatibility
with PVC and
Alu. Systems



Easy
Assembly



Back
Opening




Superior
Sound
Insulation



Economic

2021 Box

The **2021** box with key features of the entire product family standard box, thanks to the foam inside, it can be used in any environment shows **superior thermal insulation** and **acoustic performance**. Offers easy maintenance and intervention thanks to the removable back profile design.



Thermal Transmittance
Value W/m^2K - **1,1**

Slat Capacity Table

Slat	Piece	Height + Box (m)
39 N	78	3,0 + Box
39 NP	81	3,1 + Box
43	68	2,9 + Box
55 N	41	2,2 + Box
55 NP	44	2,4 + Box



3D View



Video



Modularity



Compatibility
with PVC and
Alu. Systems



Easy
Assembly



Back
Opening



Superior
Thermal
Insulation




Superior
Sound
Insulation



Lamination
Colour
Options

2022 Box with Insect Screen


The **2022** box provides superior **thermal insulation** and **acoustic performance** with its integrated roller insect screen system, as well as **protecting your living spaces from insects**. In this system, the removable bottom profile designed in addition to the removable back profile makes maintenance and intervention even easier.



Thermal Transmittance
Value W/m^2K - **0,73**

Slat Capacity Table

Slat	Piece	Height + Box (m)
39 N	40	1,5 + Box
39 NP	41	1,6 + Box
43	36	1,5 + Box
55 N	22	1,2 + Box
55 NP	23	1,2 + Box



3D View



Video



Modularity



Compatibility
with PVC and
Alu. Systems



Easy
Assembly



Back
Opening



Bottom
Opening



Integrated
Insect Screen



Superior
Thermal
Insulation




Superior
Sound
Insulation



Lamination
Colour
Options

2023 Box

Having the basic features of the whole group, the **2023** box offers superior **thermal insulation** and **acoustic performance**, while the removable bottom profile in this system, designed in addition to the back profile in the 2022 system, makes maintenance and intervention even easier.



Thermal Transmittance
Value W/m^2K - **1,1**

Slat Capacity Table

Slat	Piece	Height + Box (m)
39 N	78	3,0 + Box
39 NP	81	3,1 + Box
43	68	2,9 + Box
55 N	41	2,2 + Box
55 NP	44	2,4 + Box



3D View



Modularity



Compatibility
with PVC and
Alu. Systems



Easy
Assembly



Back
Opening



Bottom
Opening



Superior
Thermal
Insulation




Superior
Sound
Insulation



Lamination
Colour
Options

2024 Box

The **2024** box is the smallest member of the group with all the essential features, offering superior **thermal insulation** and **acoustic performance**. It provides an **economical solution** with its applicability in narrow spaces and compact dimensions, and facilitates intervention with its openable back profile design.



Thermal Transmittance
Value W/m^2K - **1,1**

Slat Capacity Table

Slat	Piece	Height + Box (m)
39 N	50	1,9 + Box
39 NP	51	2,0 + Box
43	40	1,7 + Box
55 N	22	1,2 + Box



3D View



Modularity



Compatibility
with PVC and
Alu. Systems



Easy
Assembly



Back
Opening



Superior
Thermal
Insulation



Superior
Sound
Insulation




Economic



Lamination
Colour
Options

3021 Box

The system consisting of **aluminium extrusion** box profiles can be used modularly with **PVC box profiles**. It integrates seamlessly into structural facades, reflecting the **elegant** atmospheres of **contemporary architecture**. Thanks to its bottom opening profile design, it provides ease of intervention and maintenance.











Thermal Transmittance
Value W/m^2K - **1,6**

Slat Capacity Table

Slat	Piece	Height + Box (m)
39 N	78	3,0 + Box
39 NP	81	3,1 + Box
43	68	2,9 + Box
55 N	41	2,2 + Box
55 NP	44	2,4 + Box

*Please contact us for our lamination and RAL colour options.

 <p>Aluminium Extrusion Profiles</p>	 <p>Modularity</p>	 <p>Compatibility with PVC and Alu. Systems</p>	 <p>Easy Assembly</p>	 <p>Back Opening</p>	 <p>Superior Thermal Insulation</p>	 <p>Superior Sound Insulation</p>	 <p>RAL Colour Options</p>
---	---	--	--	---	---	--	---



3D View





ASAŞ Alüminyum Sanayi ve Ticaret A.Ş.

Headquarters

Rüzgarlı Bahçe Mah., Kumlu Sok., No: 2
Asaş İş Merkezi, 34810 Kavacık
Beykoz - İstanbul, Türkiye

T +90 216 680 07 80 **F** +90 216 680 07 81

asastr.com

ASAS GmbH

Rasselsteiner Str. 101
56564 Neuwied, Deutschland
T +49 (0) 2631 90209-20
F +49 (0) 2631 90209-11